

Florida Department of Transportation SunGuide Transportation Management Center – District VI

1001 NW 111 Avenue • Miami, Florida 33172 Phone: 305.470.5757 • Fax: 305.470.5832



DMS Usage Report – July 2015

Summary of Monthly Operations

In the month of July, there were 36,320 messages posted with 9,029 DMS activations for 1,372 events. The DMS efficiency was 100% (1,372 of the 1,372 signable events had DMS messages posted). There was an average of 6.58 DMSs activated per each signable event and an average of 4.02 DMS messages were posted per each DMS activation. This resulted in an average of 26.47 DMS messages being posted per each signable event.

Notes: DMS messages not associated with an event are not included because the SunGuide Software requirement to associate a message does not function properly at this time.

Summary of Average Monthly Operations

•
$$\frac{9029 \ DMS \ Activation \ s}{1372 \ Events} = \frac{\textbf{6.58}}{1372 \ Events}$$
 Average DMS Activations per Event

An average of 6.58 DMSs were activated per each signable event

•
$$\frac{36320 \, DMS \, Messages}{9029 \, DMS \, Activations} = \frac{\textbf{4.02}}{9029 \, DMS \, Activation}$$

An average of 4.02 DMS messages were posted per each DMS activation

•
$$6.58 \frac{DMS \ Activations}{Events} \times 4.02 \frac{DMS \ Messages}{DMS \ Activations} =$$
 26.47* DMS Messages per Event

An average of 26.47* DMS messages were posted per each signable event

Table 1 DMS Usage for Other Agencies

| Agency | Number of Messages |
|---------------------------------|--------------------|
| Port of Miami Tunnel | 28 |
| FDOT District 4 | 1370 |
| Florida's Turnpike Enterprise | 15 |
| Miami-Dade Expressway Authority | 2446 |
| Total | 3859 |

Table 2 DMS Usage by Event Type

| Event Type Message | Number of Messages |
|----------------------------|--------------------|
| FDOT District 6 Incidents | 19925 |
| Other Districts' Incidents | 1789 |
| Construction | 13033 |
| Safety | 860 |
| Vehicle Alert | 713 |
| Total | 36320 |

Page 1 of 6

^{*}Based on actual numbers of average DMS activation/event and average DMS messages/activation. Not based on rounded numbers shown in this report.



Florida Department of Transportation SunGuide Transportation Management Center - District VI

SUNGUIDE®
Florida's Intelligent Transportation System

1001 NW 111 Avenue • Miami, Florida 33172 Phone: 305.470.5757 • Fax: 305.470.5832

Table 3a DMS Usage by Roadway (Limited Access Facilities)

| | | | # of | # of | Duration | |
|----------|------------------|-----------------------------------|-------------|----------|-------------|--------------|
| Roadway | ID | Location | Activations | Messages | (Hr:Min:Ss) | Availability |
| | 1 | I-95 NB beyond NW 103 St | 164 | 729 | 2531:44:53 | 98.65% |
| | 22 | I-95 NB south of NW 62 St | 144 | 774 | 2187:35:51 | 100.00% |
| | 75 | I-95 NB before SR 112 | 333 | 1202 | 1861:10:48 | 100.00% |
| | 77 | I-95 NB beyond SW 8 St | 352 | 1261 | 1532:17:54 | 100.00% |
| I-95 | 2*** | I-95 SB north of Ives Dairy Rd | 159 | 657 | 1943:33:33 | N/A*** |
| Mainline | 3*** | I-95 SB north of Miami Gardens Dr | 271 | 806 | 1383:52:54 | N/A*** |
| | 095NB013.5LL*** | I-95 NB north of NW 173 St | 69 | 324 | 1409:53:08 | N/A*** |
| | 20 | I-95 SB south of NW 119 St | 135 | 642 | 1360:11:53 | 100.00% |
| | 21 | I-95 SB south of NW 62 St | 165 | 658 | 1090:07:12 | 100.00% |
| | 74 | I-95 SB beyond of SR 112 | 117 | 424 | 946:59:50 | 100.00% |
| | 76 | I-95 SB before Rickenbacker Cswy | | | 773:08:00 | 100.00% |
| | | I-95 Mainline Subtotal | 1935 | 7615 | 17020:35:56 | 99.83% |
| | 95X40 | 95X NB at NW 62nd St | 160 | 544 | 1540:14:43 | 99.94% |
| | 95X45 | 95X NB at NW 125th St | 126 | 554 | 1372:29:55 | 82.47% |
| I-95 | 95XSB45 | 95X SB at NW 62nd St | 128 | 463 | 944:27:32 | 99.84% |
| Express | 95XSB50 | 95X SB at NW 125th St | 117 | 310 | 783:46:19 | 99.81% |
| | 095SB014.6-EL*** | 95X SB at Miami Gardens Dr | 150 | 351 | 853:15:12 | N/A*** |
| | 095NB014.8-EL*** | 95X SB north of Miami Gardens Dr | 43 | 225 | 835:35:28 | N/A*** |
| | | I-95 Express Subtotal | 724 | 2447 | 6329:49:09 | 95.52% |
| | 14* | SR 826 NB beyond NW 122 St | 0 | 0 | 0:00:00 | N/A* |
| | 4 | SR 826 EB east of NW 67 Ave | 87 | 406 | 900:41:47 | 99.08% |
| | 5 | SR 826 EB east of NW 37 Ave | 299 | 968 | 2190:23:31 | 98.68% |
| | 15* | SR 826 WB beyond NW 17 Ave | 0 | 0 | 0:00:00 | N/A* |
| | 17 | SR 826 WB beyond NW 47 Ave | 88 | 420 | 1044:53:06 | 100.00% |
| SR 826 | 19 | SR 826 WB beyond NW 67 Ave | 102 | 518 | 978:34:52 | 93.06% |
| 3N 020 | 826NB58 | SR 826 NB before NW 58 St | 68 | 328 | 775:38:41 | 97.76% |
| | 826SB58 | SR 826 SB before NW 58 St | 104 | 475 | 1182:54:35 | 99.18% |
| | 826SB103 | SR 826 SB before NW 103 St | 87 | 459 | 1122:14:57 | 100.00% |
| | 826NB1.3-LL | SR 826 NB before SW 72 St | 95 | 363 | 945:10:20 | 100.00% |
| | 826NB4.8-LL** | SR 826 NB at SW 24 St | 161 | 509 | 1043:53:53 | N/A** |
| | 826SB8.8-LL** | SR 826 SB at NW 36 St | 118 | 494 | 1111:52:48 | N/A** |
| | | SR 826 Subtotal | 1209 | 4940 | 11296:18:30 | 98.47% |
| | 43 | I-75 NB before Miami Gardens Dr | 30 | 257 | 1381:11:26 | 100.00% |
| I-75 | 44 | I-75 SB before Miami Gardens Dr | 109 | 578 | 1073:42:21 | 94.80% |
| | 42 | I-75 SB ramp from NW 138 St | 124 | 680 | 1172:07:33 | 100.00% |
| | | I-75 Subtotal | 263 | 1515 | 3627:01:20 | 98.27% |
| I-195 | 57 | I-195 EB before North Miami Ave | 51 | 263 | 867:01:30 | 100.00% |
| Mainline | 105 | I-195 WB before Alton Rd | 153 | 752 | 1364:17:27 | 86.98% |
| | | I-195 Mainline Subtotal | 204 | 1015 | 2231:18:57 | 93.49% |
| 1 205 | 886WB | Port Blvd WB before US-1 | 173 | 769 | 1017:33:26 | 85.14% |
| I-395 | 104 | I-395 WB at Watson Island | 295 | 980 | 1326:07:34 | 92.51% |
| | | I-395 Subtotal | 468 | 1749 | 2343:41:00 | 88.83% |
| | Lii | mited Access Facilities Subtotal | 4803 | 19281 | 42848:44:52 | 97.33% |



Florida Department of Transportation SunGuide Transportation Management Center - District VI

SUNGUIDE®
Florida's Intelligent Transportation System

1001 NW 111 Avenue • Miami, Florida 33172 Phone: 305.470.5757 • Fax: 305.470.5832

Table 3b DMS Usage by Roadway (Arterials)

| Roadway | ID | Location | # of Activations | # of | Duration (Hruminuss) | Availability |
|------------------|--------------|---------------------------------|---------------------|---------------|------------------------|--------------|
| - | 109*** | Ives Dairy EB Rd before I-95 | 0 | Messages 0 | (Hr:min:ss) 0:00:00 | N/A*** |
| | 113*** | Ives Dairy Rd WB before I-95 | 0 | 0 | 0:00:00 | N/A*** |
| | 110*** | Miami Gardens Dr EB before I-95 | 0 | 0 | 0:00:00 | N/A*** |
| I-95 | 111*** | Miami Gardens Dr WB before I-95 | 202 | 822 | 1127:46:00 | N/A*** |
| 1-95 Arterial | 112 | NW 103 St EB before I-95 | 192 | 804 | 436:18:58 | 99.31% |
| Arterial | 106 | NW 79 St EB before I-95 | 202 | 845 | 476:28:10 | 99.36% |
| | 107 | NW 54 St EB before I-95 | 243 | 956 | 562:18:19 | 99.56% |
| • | 107 | SW 8 St EB before I-95 | 162 | 679 | 446:06:07 | 98.82% |
| | 106 | | | | | † |
| | C + + + | I-95 Arterial Subtotal | 1001 | 4106 | 3048:57:34 | 99.26% |
| | 6*** | SR 826 WB west of NE 2nd Ave | 327 | 1055 | 2232:52:59 | N/A*** |
| Golden | 7 | Turnpike SB to Golden Glades | 316 | 1012 | 1652:35:21 | 99.91% |
| Glades | 9 | US-441 NB at TRI-Rail | 107 | 509 | 998:12:07 | 99.85% |
| Interchange | 10 | SR 9 NB before Park & Ride | 114 | 487 | 989:16:59 | 99.18% |
| | 8 | US-441 SB at NW 179 St | 265 | 887 | 1529:39:21 | 100.00% |
| | | den Glades Interchange Subtotal | 1129 | 3950 | 7402:36:47 | 99.74% |
| | SW24EB | SW 24 St EB before SR 826 | 165 | 507 | 1027:04:38 | 100.00% |
| | SW24WB | SW 24 St WB before SR 826 | 156 | 482 | 937:25:39 | 91.34% |
| | SW40EB | SW 40 St EB before SR 826 | 138 | 452 | 986:34:41 | 100.00% |
| | SW40WB | SW 40 St WB before SR 826 | 128 | 429 | 901:22:58 | 91.34% |
| SR 826 | SW56EB | SW 56 St EB before SR 826 | 118 | 423 | 961:32:38 | 100.00% |
| Arterial | SW56WB | SW 56 St WB before SR 826 | 118 | 423 | 961:32:33 | 100.00% |
| | SW72EB | SW 72 St EB before SR 826 | 100 | 380 | 940:56:54 | 100.00% |
| | SW72WB | SW 72 St WB before SR 826 | 101 | 381 | 946:32:15 | 100.00% |
| | WFLAGLEREB** | W Flagler ST EB before SR 826 | 92 | 295 | 719:21:41 | N/A** |
| | WFLAGLERWB** | W Flagler ST WB before SR 826 | 91 | 287 | 710:01:30 | N/A** |
| | | SR 826 Arterial Subtotal | 1207 | 4059 | 9092:25:27 | 97.84% |
| I-195 | 38 | Alton Rd SB before I-195 | 125 | 681 | 1113:11:51 | 99.93% |
| Arterial | 39 | Arthur Godfrey WB before I-195 | 125 | 681 | 1113:11:49 | 99.93% |
| Arterial | · | | 682 | 1117:45:58 | 99.93% | |
| | | I-195 Arterial Subtotal | 376 | 2044 | 3344:09:38 | 99.93% |
| | 23 | US-1 NB beyond SW 17 Ave | 121 | 640 | 1048:49:45 | 100.00% |
| US-1 in | 45 | US-1 SB before SW 80 St | 31 | 154 | 808:27:14 | 100.00% |
| Miami- | 47 | US-1 SB at Florida's Turnpike | 23 | 125 | 777:05:35 | 100.00% |
| Dade County | 46 | US-1 NB before Killian Dr | 64 | 276 | 853:40:21 | 100.00% |
| County | 48 | US-1 NB at Florida's Turnpike | 25 | 141 | 780:59:56 | 100.00% |
| | US- | in Miami-Dade County Subtotal | 264 | 1336 | 4269:02:51 | 100.00% |



Florida Department of Transportation SunGuide Transportation Management Center – District VI

1001 NW 111 Avenue • Miami, Florida 33172 Phone: 305.470.5757 • Fax: 305.470.5832



Table 3b - continued DMS Usage by Roadway (Arterials)

| Roadway | ID | Location | # of Activations | # of Messages | Duration (Hr:Min) | Availability | |
|------------|-------------------------------|------------------------------------|---------------------|------------------|------------------------|--------------|--|
| | 62 | US-1 NB at Mile Marker 126 | 24 | 131 | 781:29:20 | 99.91% | |
| | 64 | US-1 NB at Mile Marker 106 | 20 | 139 | 726:35:48 | 99.11% | |
| | 66 | US-1 NB at Mile Marker 91.5 | 23 | 133 | 680:22:11 | 94.70% | |
| | 68 | US-1 NB at Mile Marker 39.5 | 25 | 142 | 641:31:40 | 84.75% | |
| US-1 South | 71 | US-1 NB at Mile Marker 7.5 | 26 | 209 | 1363:29:41 | 98.85% | |
| of Florida | 61 US-1 SB at Mile Marker 126 | | 26 | 190 | 1374:00:51 | 100.00% | |
| City | 63 | US-1 SB at Mile Marker 113 | 26 | 134 | 805:16:16 808:13:34 | 100.00% | |
| | 65 | US-1 SB at Mile Marker 106 | 23 | 137 | | 99.49% | |
| | 67 | US-1 SB at Mile Marker 91.5 | 25 | 123 | 732:01:03 | 95.66% | |
| | 69 | US-1 SB at Mile Marker 39.5 | 15 | 93 | 517:53:07 | 72.74% | |
| | 70 | US-1 SB at Mile Marker 7.5 | 16 | 113 | 755:29:53 | 98.76% | |
| | US | S-1 South of Florida City Subtotal | 249 | 1544 | 9186:23:24 | 94.91% | |
| | | Arterials Subtotal | 4226 | 17039 | 36343:35:41 | 97.78% | |
| | L | imited Access Facilities Subtotal | 4803 | 19281 | 42848:44:52 | 97.33% | |
| | | Grand Total | 9029 | 36320 | 79192:20:33 | 97.59% | |

^{*}DMS 14 and 15 were undergoing testing for Capital Improvement and were used periodically. Messages posted on these DMS are not computed and system availability is not measured for these devices.

^{**}Four DMS along the SR 826 Section 5 project are operational and are still under warranty; system availability is not measured for these devices

^{***} DMS 2, 3, 6, 109, 110, 111, 113, FLD6DOT095NB013.5-LL, FLD6DOT095SB014.6-EL, and FLD6DOT095NB014.8-EL are operational and are under the Express Lanes Phase 2 Contractor; thus, system availability is not measured for these devices.



Florida Department of Transportation SunGuide Transportation Management Center – District VI

1001 NW 111 Avenue • Miami, Florida 33172 Phone: 305.470.5757 • Fax: 305.470.5832



Table 4 Number of Messages by Roadway

| Sign For Events On | | DMS Located Along | | | | | | | | | | | | |
|-----------------------|----------------------|-------------------------------|---------------|---------|----------|-------------------|----------|------------------|-------|--------------------|-------------------|-------------------------------------|-------------------------------------|-------|
| | | I-95 Mainline | 95 Express | SR 826 | 1-75 | I-195 Mainline | 1-395 | I-95 Arterial | GGI | SR 826 Arterial | I-195 Arterial | US-1 in Miami- Dade County | US-1 South of Florida City | |
| | Vehicle Alert | | 146 | 35 | 97 | 55 | 16 | 15 | 10 | 24 | 28 | 34 | 81 | 172 |
| | | ty Messaging | 143 | 78 | 120 | 39 | 26 | 22 | 13 | 52 | 119 | 39 | 65 | 144 |
| | Miami-Dade | I-95 | 3,591 | 415 | 530 | 0 | 523 | 744 | 2,862 | 1,830 | 10 | 1,332 | 353 | 0 |
| | Miami-Dade | Express Lanes | 796 | 800 | 230 | 0 | 0 | 203 | 0 | 654 | 0 | 0 | 0 | 0 |
| | Miami-Dade | I-195 | 489 | 0 | 6 | 0 | 193 | 152 | 454 | 12 | 0 | 249 | 98 | 0 |
| | Miami-Dade | 1-395 | 149 | 67 | 0 | 0 | 0 | 120 | 128 | 0 | 0 | 87 | 38 | 0 |
| | Miami-Dade | MacArthur Causeway | 64 | 20 | 0 | 0 | 1 | 6 | 0 | 0 | 0 | 0 | 2 | 0 |
| | Miami-Dade | SR-886/Port Boulevard | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | Miami-Dade | SR-826 | 84 | 42 | 2,347 | 895 | 0 | 0 | 87 | 436 | 2,542 | 0 | 164 | 0 |
| | Miami-Dade | 1-75 | 0 | 0 | 68 | 68 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| District 6 | Miami-Dade | US-1 | 13 | 1 | 0 | 0 | 2 | 9 | 8 | 0 | 51 | 6 | 27 | 4 |
| | Monroe | US-1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 161 |
| | Monroe | Card Sound Road | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | Miami-Dade | SR-997/ Krome Avenue | 0 | 0 | • | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | Miami-Dade | SR-9 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | Miami-Dade | US-27 US-441 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | Miami-Dade | | - | 0 | 0 | 0 | 0 | 0 | 86 | | 823 | 0 | 0 | _ |
| | Miami-Dade | OTHER | 1,238 0 | 609 | 941 | 332 | 178 0 | 171 0 | 0 | 495 0 | 823 | 270 0 | 465 0 | 1,057 |
| | Monroe Miami-Dade | OTHER SR-836 | 400 | 0 | 0 333 | 3 | 19 | 247 | 112 | 0 | 420 | 3 | 18 | 0 |
| | Miami-Dade | SR-836 Extension to 137th Ave | 0 | 84 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | Miami-Dade | SR-112 | 266 | 88 | 0 | 0 | 57 | 60 | 119 | 0 | 0 | 24 | 5 | 0 |
| MDX | Miami-Dade | SR-874 | 1 | 0 | 12 | 0 | 0 | 0 | 0 | 0 | 66 | 0 | 7 | 0 |
| | Miami-Dade | SR-878 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 0 |
| | Miami-Dade | SR-924 | 0 | 0 | 40 | 59 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | Broward | I-95 | 219 | 200 | 142 | 0 | 0 | 0 | 227 | 444 | 0 | 0 | 0 | 0 |
| | Broward | I-95 I-75 | 0 | 0 | 74 | 64 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | Broward | I-75 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| District 4 | Palm Beach | I-95 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | Indian River | I-95 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | Broward | OTHER | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | Miami-Dade | Floridas Turnpike | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 0 | 0 | 6 | 6 |
| | Miami-Dade | Floridas Turnpike Spur | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | Broward | Floridas Turnpike | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Turnpike | Palm Beach | Floridas Turnpike | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | Martin | Floridas Turnpike | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | St. Lucie | Floridas Turnpike | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Port | Miami-Dade | Port Miami Tunnel | 16 | 8 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 4 | 0 |
| Subtotal of On Route | | 3,591 | 800 | 2,347 | 68 | 193 | 120 | 2,862 | 1,830 | 2.542 | 249 | 27 | 161 | |
| Subtotal of Off Route | | 4,024 | 1,647 | 2,593 | 1,447 | 822 | 1,629 | 1,244 | 2,120 | 1,517 | 1,795 | 1,309 | 1,383 | |
| | | al District 6 | 6,713 | 2,067 | 4,339 | 1,389 | 939 | 1,442 | 3,648 | 3,503 | 3,573 | 2,017 | 1,293 | 1,538 |
| | Other Agencies | | 902 | 380 | 601 | 126 | 76 | 307 | 458 | 447 | 486 | 27 | 43 | 6 |
| | Jui | Total | 7,615 | 2,447 | 4,940 | 1,515 | 1,015 | 1,749 | 4,106 | 3,950 | 4,059 | 2,044 | 1,336 | 1,544 |
| Total | | ., | _, | ., | .,0.0 | ., | ., | ., | 0,000 | .,000 | _, | .,000 | ., | |

Notes: Vehicle Alert messages are signed for entire Miami-Dade and Monroe Counties; thus, they are not location-specific events. Safety messages are signed for entire Miami-Dade and Monroe Counties; thus, is not location-specific event.

On Route – When a DMS signs for an incident on the same route as where the DMS is located.

Off Route - When a DMS signs for an incident on different routes from where the DMS is located.




Florida Department of Transportation

SunGuide Transportation Management Center - District VI



1001 NW 111 Avenue • Miami, Florida 33172 Phone: 305.470.5757 • Fax: 305.470.5832

DMS Messages by Time of Day



Page 6 of 6